











Product	Beetle Box	Spider II Spider Box	CEP Portable Power Distribution Center	CEP Mini U-Ground Spider Box
Image				
Price	\$999.00	\$1,999.00	\$329.00	\$210.00
Brand	Power Assemblies	Hubbell Wiring Device-Kellems	Construction Electrical Products	Construction Electrical Products
MPN	BB-101	SDTL1A	6507GU	6503 GU
Amps	50A	30A	30A	30A
Voltage	120/250V, 2P+N+G	120/240V AC	125/250V AC	125/250V AC
Input Connector type	50A 120/250V (CS6375)	30A 120/240V (L6-30R)	30A 125/250V (L14-30)	30A 125/250V (L14-30)
Output Plugs / Receptacles	(6) 20A 120V (5-20R) Duplex	(7) 20A 125V (L5-20R)	(4) 20A 125V (5-20R) Duplex	(4) 20A 125V (5-20R) Duplex
Pass-Through Outlet	50A 120/250V (CS6369)	30A 120/240V (L6-30R)	No	No
Circuit Breakers	GFCI	GFCI	GFCI	GFCI
Over-current Protection	Yes	Yes	Yes	Yes
Box Construction	Non-Metallic	Thermoplastic Elastomer (TPE)	Steel	Steel
Color	Black	Yellow	Yellow	Yellow
Standards	"NEMA : 3R UL 1640 Listed"	UL 1640 cUL and CSA, UL 943	cUL Listed	cUL Listed
Weight	20 lb	48 lb	32.4 lb	14 lb
Measurements	14in H x 14in W x 12in L	14.7in H x 18.71in W x 22.71in L	21in H x 14.5in W x 11in L	21in H x 14.5in W x 11in L

Product	CEP 4 Outlet Twist Lock Spider Box	X-Treme Box™ Spider Box	CEP 6 Outlet U-Ground GFCI Spider Box	RhinoBox 50A with GFCI and Nema 3R
Image				
Price	\$359.00	\$379.00	\$390.00	\$514.92
Brand	Construction Electrical Products	Southwire	Construction Electrical Products	Arrow Hart
MPN	6508G	19703R02	6506GU	RB300M
Amps	50A	50A	50A	50A
Voltage	125/250V AC	125/250V AC	125/250V AC	125/250V AC
Input Connector type	125/250V (CS6365)	125/250V (CS63)	125/250V (CS6375)	125/250V (CS6375RB)
Output Plugs / Receptacles	(4) 20A 125V (L5-20R)	(6) 20A 125V (5-20R) & (1) 30A 250V (L6-30R)	(6) 20A 125V (L5-20R) & (1) 30A 250V (L6-30R)	(6) 20A 125V (WRBR20BK) & (1) 30A 250V (L6-30R)
Pass-Through Outlet	No	No	50A 125V/250V (CS6369)	50A 125/250V (CS6369RB)
Circuit Breakers	GFCI	GFCI	GFCI	Partial GFCI
Over-current Protection	Yes	Yes	Yes	Yes
Box Construction	Steel	Carbon Steel	Steel	Steel
Color	Yellow	Yellow	Yellow	Red
Standards	cUL Listed	3R Rated	3R Rated	3R Rated, cETLus, NOM
Weight	14 lb	34 lb	36 lb	37 lb
Measurements	21in H x 14.5in W x 11in L	21.75in H x 16.5 W x 12.2in L	8.46in H x 4.72in W x 5.91in L	12.3in H x 16.9 W x 22.6in L

Product	CEP Spider Box – 50A 125/250V input	Temporary Portable Power Distribution Center
Image		
Price	\$697.23	\$896.00
Brand	Construction Electrical Products	Leviton Manufacturing Company
MPN	6606GUSF-524	PB103-W
Amps	50A	50A
Voltage	125/250V AC	125/250V AC
Input Connector type	50A 125/250V (CS6369)	50A 125/250V 3P 4W Grounding Non-NEMA
Output Plugs / Receptacles	(4) 20A 250V (L6-20R)	(6) 20A 125V (L5-20R) & (1) 30A 250V (L6-30R) Non-GFCI
Pass-Through Outlet	No	50A 125/250V 3P 4W Grounding Non-NEMA
Circuit Breakers	No GFCI Protection	Partial GFCI
Over-current Protection	Yes	Yes
Box Construction	Steel	Reinforced Metal
Color	Yellow	Yellow
Standards	UL 1640	“ANSI: C-73 NEMA: WD-6 NOM: 057 OSHA: Reg 20, Part 1926, Subpart K for open-neutral GFCI UL 943: Class A (GFCI) UL Listed: E-48380”
Weight	29 lb	38 lb
Measurements	21in H x 11in W x 14.5in L	12in H x 16in W x 22in L